



Euroricambi S.p.a.

Indirizzo / Address :

40056 Crespellano - BO - Italy

Via Chiesaccia, 5

Tel ++39 0516506811

Fax ++39 0516506812

Casella Postale 163 / Post Box 163

40011 Anzola Emilia - Bo - Italy

E-Mail: euroricambi@euroricambi.com

Http : www.euroricambi.com

CATALOGUE

60

2003

CATALOGUE

60-Suitable to MERCEDES

FILE

CBM016.PDF

SIZE

4000 KB

No.Page

5

RELEASE

01/07/2003

MODELS

G125 (Left Hand Drive)

G135 (Left Hand Drive)

G155 (Left Hand Drive)

G180 (Left Hand Drive)




G200 (Left Hand Drive)

G210 (Left Hand Drive)

GROUP

GEARBOX

Options

ONLY FOR CD-ROM CATALOGUES

MPS KIT 60.53.1300 Suitable to O.E.M. ref. 655 260 0198





Fig.	Our No.	Part No.	Description	Note	TP	G125 (Left Hand Drive)	G135 (Left Hand Drive)	G155 (Left Hand Drive)	G180 (Left Hand Drive)	G200 (Left Hand Drive)	G210 (Left Hand Drive)								
1	60531300	655 260 0198	CONVERSION KIT	1 pc.	●	■	■	■	■	■	■								
2	60531264	389 993 2901	PRESSURE SPRING	2 pcs.	●	■	■	■	■	■	■								
3	60531265	389 265 0416	PIN	2 pcs.		■	■	■	■	■	■								
4	60531260	005401 311000	BALL D.11 MM	6 pcs.	●	■	■	■	■	■	■								
5	60531263	389 268 0252	WASHER	2 pcs.	●	■	■	■	■	■	■								
6	60531261	389 268 0829	ROD	1 pc.		■	■	■	■	■	■								
7	60531227	389 997 0319	LOCKPIN	1 pc.	●	■	■	■	■	■	■								
8	60531228	389 267 0238	DRIVER	1 pc.		■	■	■	■	■	■								
9	60531257	000472 016000	SEEGER RING	1 pc.	●	■	■	■	■	■	■								
10	60531262	912009 009101	RING	2 pcs.	●	■	■	■	■	■	■								
11	60531246	308748 010000	LOCK PIN	1 pc.	●	■	■	■	■	■	■								
12	60531244	389 268 2616	LEVER	1 pc.		■	■	■	■	■	■								
13	60531247	945 268 0013	SELECTOR BODY	1 pc.		■	■	■	■	■	■								
14	60531248	389 997 0419	LOCKPIN	2 pcs.	●	■	■	■	■	■	■								
15	60531249	387 993 2201	PRESSURE SPRING	1 pc.		■	■	■	■	■	■								
16	60531250	387 993 2101	PRESSURE SPRING	1 pc.		■	■	■	■	■	■								
17	60530733	945 268 0474	PIN	1 pc.		■	■	■	■	■	■								
18	60531271	389 260 5682	SHAFT	1 pc.		■	■	■	■	■	■								
19	60531272	387 268 0776	WASHER	1 pc.		■	■	■	■	■	■								
20	60531273	387 993 0501	PRESSURE SPRING	1 pc.		■	■	■	■	■	■								
21	60531274	389 268 2450	BUSH	1 pc.		■	■	■	■	■	■								
22	60531210	389 268 0053	PIPE	1 pc.		■	■	■	■	■	■								
23	60531211	912009 018100	LOCK RING	1 pc.	●	■	■	■	■	■	■								
24	60531275	389 268 0276	WASHER	2 pcs.		■	■	■	■	■	■								
25	60531276	389 993 4201	PRESSURE SPRING	1 pc.	●	■	■	■	■	■	■								
26	60531277	000472 032001	LOCK RING	1 pc.	●	■	■	■	■	■	■								
27	60531212	389 265 0216	DRIVER	1 pc.		■	■	■	■	■	■								
28	60531213	308750 008001	LOCK PIN	1 pc.	●	■	■	■	■	■	■								
29	60531294	000470 034000	COVER	1 pc.	●	■	■	■	■	■	■								
30	60531295	387 268 1150	BUSH	1 pc.		■	■	■	■	■	■								
31	60531296	389 260 0272	ALUMINUM BODY	1 pc.		■	■	■	■	■	■								
32	60531215	007984 008038	SCREW M8X65	2 pcs.	●	■	■	■	■	■	■								
32	60531216	000912 008098	SCREW M8X35	2 pcs.	●	■	■	■	■	■	■								
33	60531214	387 268 1680	GASKET	1 pc.		■	■	■	■	■	■								
34	60531297	387 268 0250	BUSH	1 pc.		■	■	■	■	■	■								

Notes / Note :

Continued

- A** Up to Gearbox 166617
B From Gearbox 166618
C During the adjustment phase the bush you have to use must be properly sized according to your needing
D We suggest you to order this bush 8.50 mm which can be properly sidez according to your needs during the adjustment phase
E **WARNING:** please pay attention to this information in order to avoid any damage to the gearbox! It is necessary to included the reduction bush **60531549** (o.e.m. ref. **387 992 0025**) into the air tubes which are connected to the pneumatic valve **001 260 2057**.



Fig.	Our No.	Part No.	Description	Note	TP	G125 (Left Hand Drive)	G135 (Left Hand Drive)	G155 (Left Hand Drive)	G180 (Left Hand Drive)	G200 (Left Hand Drive)	G210 (Left Hand Drive)								
35	60531298	005 997 3547	LOCK RING	1 pc.	●														
36	60531299	080705 016003	NUT M16X1,5 S.6,00 MM	1 pc.	●														
37	60531301	387 268 0152	WASHER	1 pc.															
38	60531302	387 268 0052	WASHER S.1,00 MM	2 pcs.	●														
39	60531303	389 265 0230	CONTROL LEVER	1 pc.															
40	60531304	000007 004123	LOCK PIN	1 pc.	●														
41	60531305	006888 005012	KEY	1 pc.	●														
42	60531306	389 260 2138	SHAFT	1 pc.															
43	60531238	385 268 0380	GASKET	1 pc.															
44	60531241	001 260 8457	VALVE	1 pc.	●														
45	60531239	000137 008212	SPACER	4 pcs.	●														
46	60531240	914141 008111	SCREW M8X55	4 pcs.	●														
47	60531269	001481 004027	LOCK PIN D.4 MM	1 pc.	●														
48	60531255	005 981 3110	BEARING	1 pc.															
49	60531231	900055 040300	LOCK RING	2 pcs.	●														
50	60531232	000988 040001	THRUST WASHER	2 pcs.	●														
51	60531256	389 268 1150	BUSH	1 pc.															
52	60531236	111 260 0058	BLEED PLUG	1 pc.	NSS														
53	60531235	389 268 1712	ALUMINUM BODY	1 pc.															
54	60531237	000007 010102	LOCK PIN D.10 MM	2 pcs.	●														
55	60531217	389 268 0334	COVER	1 pc.	●														
56	60531218	389 268 2180	GASKET	1 pc.															
57	60531219	389 268 1180	GASKET	2 pcs.	●														
58	60531267	009 981 0510	BEARING	1 pc.	●														
59	60531266	389 268 1212	COVER	1 pc.															
60	60531268	000007 010235	LOCK PIN D.10 MM	2 pcs.	●														
61	60531251	389 268 1480	GASKET	1 pc.															
62	60531278	009 990 0101	SCREW M8X28	1 pc.	●														
63	60531289	308748 006000	LOCK PIN	2 pcs.	●														
64	60531290	387 260 2873	MOULDED CAM	1 pc.	●														
65	60531291	389 268 1334	COVER	1 pc.															
66	60531220	914126 008078	SCREW M8X60	4 pcs.	●														
67	60531292	007 981 2110	BEARING	1 pc.	●														
68	60531293	005 997 3647	LOCK RING	1 pc.	●														
69	60531229	389 261 1433	PLUG	1 pc.	●														

Notes / Note :

Continued

- A** Up to Gearbox 166617
B From Gearbox 166618
C During the adjustment phase the bush you have to use must be properly sized according to your needing
D We suggest you to order this bush 8.50 mm which can be properly sized according to your needs during the adjustment phase
E **WARNING:** please pay attention to this information in order to avoid any damage to the gearbox! It is necessary to included the reduction bush **60531549** (o.e.m. ref. **387 992 0025**) into the air tubes which are connected to the pneumatic valve **001 260 2057**.



Notes / Note :

A Up to Gearbox 166617

B From Gearbox 166618

C During the adjustment phase the bush you have to use must be properly sized according to your needing

D We suggest you to order this bush 8.50 mm which can be properly sized according to your needs during the adjustment phase

E **WARNING:** please pay attention to this information in order to avoid any damage to the gearbox! It is necessary to included the reduction bush **60531549** (o.e.m. ref. **387 992 0025**) into the air tubes which are connected to the pneumatic valve **001 260 2057**.