



Euroricambi S.p.a.

Indirizzo / Address :

40056 Crespellano - BO - Italy

Via Chiesaccia, 5

Tel ++39 0516506811

Fax ++39 0516506812

Casella Postale 163 / Post Box 163

40011 Anzola Emilia - Bo - Italy

E-Mail: euroricambi@euroricambi.com

Http : www.euroricambi.com

CATALOGUE

60

2003

CATALOGUE

60-Suitable to MERCEDES

FILE

CBM001.PDF

SIZE

750 KB

No.Page

7

RELAISE

01/07/2003

MODELS

G2/24-5/6,71

G2/24-5/7,31

GROUP

GEARBOX

Options

ONLY FOR CD-ROM CATALOGUES




Home



Group



Back

Zoom
Select

Print

Page
SearchCatalogue
Search

Exit

G2/24-5/6,71

G2/24-5/7,31

Column 1	G2/24-5/6,71	712.000
		712.002
		712.032
		712.034
Column 2	G2/24-5/7,31	712.001
		712.004
		712.030
		712.031
		712.033



NOTES

G2/24-5/6,71 / G2/24-5/7,31

ALPHABETIC PROGRESSION

(A)	Up to Gearbox	435850
(B)	From Gearbox	435851
(C)	Up to Gearbox	195281
(D)	From Gearbox	195282
(E)	Up to Gearbox	045838
(F)	From Gearbox	045839
(G)	Up to Gearbox	434169
(H)	From Gearbox	434170
(L)	Up to Gearbox	242129
(M)	From Gearbox	242130
(N)	Up to Gearbox	566180
(P)	Up to Gearbox	566181
(R)	From Gearbox	234627

NUMERICAL PROGRESSION

(1)	Old Type. This version use only old synchronizer ring 314 262 0237. To upe date this version use 1 pc 60530019-314 262 1223+2 pc 60530037-314 262 0437.
(2)	Excluded Series 712.034.
(3)	Old Type. This version use only old synchronizer ring 314 262 0237. To upe date this version use 1 pc 60530269-314 262 1023+2 pc 60530037-314 262 0437.
(4)	Only for Series 712.004.
(5)	Excluded Series 712.004
(6)	This version is replaced by 1 pc 60530022-314 263 0710+1 pc 314 991 0267.
(7)	This version is replaced by 1 pc 60530023-314 263 1414+1 pc 314 991 0267.
(8)	This version is replaced by 314 263 1414+1 pc 314 260 2444+1 pc 314 262 1535+1 pc 314 991 0267.





GEARBOX CAMBIO

Models / Modelli	
G2/24-5/6,71	
G2/24-5/7,31	




Fig.	Our No.	Part No.	Description	Note	TP	G2/24-5/6,71	G2/24-5/7,31													
1		314 261 0618	FRONT COVER			■	■													
2		314 261 0433	COVER			■	■													
3	60530006	314 262 0802	INPUT SHAFT 17 T.			■														
3	60530004	314 262 0902	INPUT SHAFT 16 T.				■													
4	60530028	314 262 1434	SYNCHRONIZER CONE			■														
4	60530029	314 262 1534	SINCHRONIZER CONE				■													
5	60530037	314 262 0437	SYNCHRONIZER RING			■	■													
6	60531530	314 262 0923	SLIDING SLEEVE	(1)(A)	◆	■	■													
6	60530019	314 262 1223	SLIDING SLEEVE	(B)		■	■													
7		314 262 1035	SYNCHRONIZER HUB	(C)		■	■													
7	60530038	314 262 1535	SYNCHRONIZER HUB	(D)		■	■													
8	60530256	314 262 0140	SLIDE	3 pcs		■	■													
9	60530255	314 262 0574	PIN	3 pcs		■	■													
10	60530253	314 993 0001	PRESSURE SPRING	3 pcs		■	■													
11	60530011	314 260 2444	GEAR 4TH SPEED 21 T.	(D)		■	■													
11		314 260 3244	GEAR 4TH SPEED .	(CF)		■	■													
11		314 260 1744	GEAR 4TH SPEED .	(2)(E)		■														
12	60530276	314 265 0702	SHIFT YOKE 4TH/5TH SPEED		◆	■	■													
13	60530427	314 265 0405	TIE ROD 4TH/5TH SPEED		◆	■	■													
14	60530034	314 262 3450	BUSH T.39.40 MM			■	■													
14	60530031	314 262 3550	BUSH T.39.50 MM			■	■													
14		314 262 3650	BUSH T.39.60 MM			■	■													
14	60530032	314 262 3750	BUSH T.39.70 MM			■	■													
14	60530033	314 262 3850	BUSH T.39.80 MM		◆	■	■													
14		314 262 3950	BUSH T.39.90 MM			■	■													
14		314 262 4050	BUSH T. 40.00 MM			■	■													
14		314 262 4150	BUSH T. 40.10 MM			■	■													
14		314 262 4250	BUSH T. 40.20 MM			■	■													
15	60530010	314 260 3644	GEAR 3RD SPEED 26 T.			■	■													
16	60530037	314 262 0437	SYNCHRONIZER RING			■	■													
17	60531530	314 262 0923	SLIDING SLEEVE	(A)	◆	■	■													
17	60530019	314 262 1223	SLIDING SLEEVE	(B)		■	■													
18	60530328	314 262 1735	SYNCHRONIZER HUB			■	■													
19	60530256	314 262 0140	SLIDE	3 pcs		■	■													
20	60530255	314 262 0574	PIN	3 pcs		■	■													

Notes / Note :

Continued

ALPHABETICAL NOTES See pag. 3
 NUMERICAL NOTES See pag. 3



Fig.	Our No.	Part No.	Description	Note	TP	G2/24-5/6,71	G2/24-5/7,31													
21	60530253	314 993 0001	PRESSURE SPRING	3 pcs		■	■													
22	60530009	314 262 0512	GEAR 2ND SPEED 33 T.			■	■													
23	<i>60530277</i>	314 265 1302	SHIFT YOKE 2ND/3RD SPEED		◆	■	■													
24	60530278	314 265 0505	TIE ROD 2ND/3RD SPEED			■	■													
25	60530020	314 263 0433	REVERSE GEAR 41 T.			■	■													
26	60530037	314 262 0437	SYNCHRONIZER RING			■	■													
27	60530262	314 262 0040	SLIDE	3 pcs		■	■													
28	<i>60530254</i>	314 262 0374	PIN	3 pcs	◆	■	■													
29	60530253	314 993 0001	PRESSURE SPRING	3 pcs		■	■													
30	<i>60530040</i>	314 262 0823	SLIDING SLEEVE	(3)(G)	◆	■	■													
30	60530269	314 262 1023	SLIDING SLEEVE	(4)(H)		■	■													
31	60530008	314 262 0711	GEAR 1ST SPEED 39 T.			■	■													
32	<i>60530470</i>	314 265 0501	SHIFT YOKE 1ST SPEED		◆	■	■													
33	<i>60530428</i>	314 265 0605	TIE ROD 1ST SPEED		◆	■	■													
34	<i>60530429</i>	314 265 0805	REVERSE TIE ROD		◆	■	■													
35	60530005	314 262 0405	MAIN SHAFT			■	■													
36	60530274	314 262 0674	PIN			■	■													
37	<i>60530739</i>	314 993 0301	SPRING		■	■	■													
38	60530139	314 262 0145	OUTPUT FLANGE D.120			■	■													
39		314 263 0610	CONSTANT GEAR	(2)(7)(L)		■														
39	60530022	314 263 0710	CONSTANT GEAR 38 T.	(5)(MN)		■	■													
39	<i>60530346</i>	310 263 0110	CONSTANT GEAR 38 T.	(5)(P)	■	■	■													
39	60530021	314 263 0810	CONSTANT GEAR 39 T	(6)(N)			■													
39		314 263 1010	CONSTANT GEAR 39 T.	(6)(P)			■													
40		314 263 0614	GEAR 4TH SPEED	(2)(8)(C)		■	■													
40	60530023	314 263 1414	GEAR 4TH SPEED 33 T.	(NR)		■	■													
40	60530322	314 263 1614	GEAR 4TH SPEED 33 T.	(P)		■	■													
41	60530007	314 263 1002	COUNTERSHAFT 25/19/14/13			■	■													
42		314 991 0267	KEY	(N)		■	■													
43	60530012	314 260 0725	REVERSE GEAR 26 T.			■	■													
44	60530170	314 263 0230	REVERSE GEAR PIN			■	■													
45		314 265 0108	LEVER			■	■													
46		314 262 0262	THRUST WASHER T. 5.55 MM			■	■													
46		314 262 0362	THRUST WASHER T. 5.65 MM			■	■													
46	<i>60530273</i>	314 262 0462	THRUST WASHER T. 5.75 MM		◆	■	■													

Notes / Note :

Continued

ALPHABETICAL NOTES See pag. 3
 NUMERICAL NOTES See pag. 3



OPTIONS

ALPHABETICAL NOTES See pag. 3
NUMERICAL NOTES See pag. 3